



IAX SoftPhone

Simple and Robust Softphone for Asterisk

Small Application
Multiple codec support
Easy to use
Crystal clear audio

IAX SoftPhone

Overview

NextStag IAX Softphone is designed on industry standard IAX protocol to make it compatible to almost all providers supporting IAX trunking. It supports a range of codecs: g711, g723, g729, Libs, and GSM. IAX protocol has the added benefit of carrying both signalling and media on the same port. It also traverses firewalls and NAT efficiently.

We provide private branding of NextStag IAX Softphone, with Logo of Your company with link to your website. You can choose one of the existing Softphone skins or tell us to make a new design for your private branded Softphone.

IAX SoftPhone Features

- Private Branding
- Customized Skin Interface
- Address Book
- Call history
- Call timer
- DTMF Support
- Hold
- DND
- Auto Answer
- Codec Selection
- Compatible with MS Windows 98SE/ME/2K/XP/2003
- PC to PC call and PC to Phone call

Supported Codecs:

G711 .aLaw, G711 .uLaw, GSM, iLBC


Supported Operating Systems:

Works well on all most all versions of Microsoft Windows (Like WIN NT4, WIN2000, WIN XP, WIN 2003).

Hardware Requirements

- 5 MB of free hard disk space
- Full duplex sound card with microphone and speakers are required for audio support
- Network Connection
- 28.8 kbps modem or faster, ISDN, LAN or fast internet connection recommend

Technical Architecture



Contact Us

Corporate Office

B-15, Sector-64, Noida. Uttar Pradesh PIN-201301
Phone:+91-120-4543902 Fax+91-120-4543903

Registered Office

K-61 B, Kalkaji, New Delhi PIN 110019
Phone:+91-8826168700
INDIA

Web: www.nextstag.com

Email: info@nextstag.com

